

BOX FTTH



BY FIBER SYSTEM

PRODUCT MANUAL

JUNCTION BOX

JUNCTION BOX



Product Overview

The fiber splice box is the best choice for small links, it is ideal for outdoor applications, since the material from which it is Composite is a rigid plastic resistant to UV rays, moisture and hits.

The box has a hermetic closure system and accessories to facilitate its assembly, it also has an organizing system, for the management and arrangement of optical fibers. Provides protection and increases the durability of your splices or fusions.

Main Characteristics



- Compact size. It can be installed on small pedestals.
- Internal fiber organizer.
- Mounting accessories.
- Injected plastic housing.
- Suitable for internal and external use.



- High impact plastic. 3 inlet / outlet ports.
- Aerial, underground and wall application. Grounding terminal.
- Lightweight housing.
- Fire retardant.



Technical Specifications

Rules	IP11 / IP54 / NEMA 2 / NEMA 4
Ability	24 fibers/ 48 fibers
Weight	0.9 kg/ 1.8 kg
Diameter min. of cable	8 mm/ 16mm
Max diameter of cable	16 mm/ 32mm
Clasp type	Airtight
Humidity	5% - 90%
Temperature	-40°C to 65°C
Dimensions (mm)	240x190x80
Cassette capacity	2 for 12 fibers each



CONTACTOS


 @szfibersystemcoltd

 @szfibersystemcoltd


 <http://szfibersystem.com/>

 sale@szfibersystem.com

Matriz (China):
Sala 201, Bloque A, Edificio Digital
Garden City, 1079 Nanhai Avenue, Distri-
to Nanshan, Shenzhen, China

 +8618927463845
+8613714906306

Sucursal Ecuador:
Urbanización 6 de Diciembre, Pasaje San
Blas OE6-49 y Princesa Toa, Quito, Ecu-
ador

 +593984510113
+593983373961

Sucursal Perú:
Calle Huaman Poma de Ayala 349 y Av.
Los Patriotas entre la quinta y sexta
frente al parque Virgen de Guadalupe,
San Miguel, Lima Perú.

 Fijo: +5115005857
Móvil : +51973644663