

**ROUTER  
CCR**



**BY FIBER SYSTEM**  
**PRODUCT MANUAL**

---

CCR1072-1G-8S+

# CCR1072-1G-8S+

---



# Product Overview

---

Our new flagship router, the CCR1072, is powered by a Tileria 72 core CPU, each core is clocked at 1GHz, and to fully utilise this power, the CCR1072 is equipped with eight independently connected 10G SFP+ ports.

Thanks to the unique 72 core processor and ports that are directly connected to the CPU, CCR1072 is capable of over 120 million packets per second throughput.

The unit comes equipped with two removable (hotplug) power supplies for redundancy, smart card slot, eight SFP+ ports and 16GB of built in ECC RAM.

The CCR1072 also has two built-in M.2 slots, microSD and 2x USB for adding storage, to use for proxy cache, user manager and other features. The M.2 slots accept 800mm Key-M x4 PCIe 2.0 modules.





# Main Characteristics

---



## Full Set of Features

- 8x SFP+ ports
- 16GB ECC RAM
- Ports directly connected to CPU
- MicroSD and 2x M.2



## Highest performance

- Over 120 million pps packet throughput
- Up to 80 Gbps throughput

## New generation CPU

- 72 core CPU
- 1 GHz clock per core
- State of the art TILE GX architecture





# Technical Specifications

---

<b>Product code</b>	CCR1072-1G-8S+
<b>CPU nominal frequency</b>	1 GHz
<b>CPU core count</b>	72
<b>Size of RAM</b>	16 GB
<b>Storage</b>	1 GB Onboard NAND, also see <i>expansion</i>
<b>10/100/1000 Ethernet ports</b>	1
<b>Power supply</b>	2x IEC C14 standard connectors 110/220V (Two redundant PSU)
<b>Supported input voltage</b>	12 V
<b>CPU temperature monitor</b>	Yes
<b>PCB temperature monitor</b>	Yes
<b>Voltage Monitor</b>	Yes
<b>Current monitor</b>	Yes
<b>Dimensions</b>	443x315x40mm, weight: 3.8 kg, weight with packaging: 5.125 kg
<b>License level</b>	6
<b>Operating System</b>	RouterOS
<b>CPU</b>	Tilera Tile-Gx72 CPU
<b>Max Power consumption</b>	100 W
<b>Display</b>	Color LCD, touchscreen
<b>SFP</b>	8x10G Ethernet SFP+cages (Mini-GBIC; SFP module not included), DDMI support
<b>Expansion</b>	1x microUSB 2.0, 1x regular USB 2.0, full size SmartCard slot, microSD slot, 2x M.2 slots with x4 PCIe 2.0, Key-M, module size support: 2242, 2260, 2280
<b>Serial port</b>	RJ45
<b>Suggested price</b>	\$3,050

# Packaging & Delivery

---

**Packaging Details:** 2x IEC cords, screw and feet kit, rackmount ears.



Packing case





Matriz (China):  
Sala 201, Bloque A, Edificio Digital Garden  
City, 1079 Nanhai Avenue, Distrito Nanshan,  
Shenzhen, China



+8618927463845  
+8613714906306

Sucursal Ecuador:  
Urbanización 6 de Diciembre, Pasaje San  
Blas OE6-49 y Princesa Toa, Quito, Ecuador



+593984510113  
+593983373961

Sucursal Perú:  
Calle Huaman Poma de Ayala 349 y Av. Los  
Patriotas entre la quinta y sexta frente al  
parque Virgen de Guadalupe, San Miguel,  
Lima Perú.



Fijo: +5115005857  
Móvil : +51973644663

# CONTACTOS



@szfibersystemcoltd



@szfibersystemcoltd



<http://szfibersystem.com/>



[sale@szfibersystem.com](mailto:sale@szfibersystem.com)