

**OPTICAL LINE
TERMINAL**



BY FIBER SYSTEM

PRODUCT MANUAL

4 PON EPON OLT

4 PON EPON OLT



Product Overview

V1600D4 EPON OLT product is a 1U chassis device with L3 function developed by VSOL. It complies with IEEE802.3ah standard and China CTC 2.1/3.0 standard, compatible with mainstream brand ONU access, easy to build EPON network flexibly and efficiently.

It is smart, easy to deploy, and high performance. It is smart, easy to deploy, and high performance, meeting the performance and volume requirements of users in different environments, and It also supports rich operation and maintenance tools such as EMS, WEB, Telnet, SSH and mobile APP, provides users with stable, efficient and value-added network access services.

The product is suitable for "Triple-Play", CPN, IP Camera, Enterprise LAN and IOT applications.

V1600D4 EPON OLT provides 4*EPON Port, 4*GE(RJ45) Port and 4*10GE(SFP+) Port. It can support 256 ONU under 1:64 splitter ratio.

Main Characteristics



- Material: Steel Shell
- Size: 442mm*200mm*43mm (L*W*H)
- Weight: 3.2kg
- SupportS 256 ONU under 1:64 splitter ratio

Leading Layer 3 Function

- Support Dynamic Routing RIP v1/v2
- Support Dynamic Routing OSPF v2


High Cost-effective

- 1U height compact design
- Adopt mainstream chip scheme

Flexible Management

- Supports EMS/Telnet/LI/WEB/SSH Management Method
- Supports android Mobile APP Management

Detailed Description



Technical Specifications

Tem	Value
Place of Origin	China
Brand Name	V-solution
Model Number	V1600D4-DP
Type	FTTx Solutions
Use	FTTX
Product name	olt epon
Application	FTTH FTTB FTTX Network
Certification	CE RoHS FCC
Wavelength	TX 1490nm, RX 1310nm
Dimensions	442*200*43mm
Warranty	12 Months
Material	Steel Shell
Power supply	AC:100~240V, 47/63Hz
Weight	3.2kg
Ports	4*EPON Port, 4*GE(RJ45) Port and 4*10GE(SFP+) Port



CONTACTOS



@szfibersystemcoltd



@szfibersystemcoltd



<http://szfibersystem.com/>



sale@szfibersystem.com

Matriz (China):

Sala 201, Bloque A, Edificio Digital Garden City, 1079 Nanhai Avenue, Distrito Nanshan, Shenzhen, China



+8618927463845
+8613714906306

Sucursal Ecuador:

Urbanización 6 de Diciembre, Pasaje San Blas OE6-49 y Princesa Toa, Quito, Ecuador



+593984510113
+593983373961

Sucursal Perú:

Calle Huaman Poma de Ayala 349 y Av. Los Patriotas entre la quinta y sexta frente al parque Virgen de Guadalupe, San Miguel, Lima Perú.



Fijo: +5115005857
Móvil: +51973644663