

**EQUIPOS DE FUSIÓN
Y MEDICIÓN**



BY FIBER SYSTEM

PRODUCT MANUAL

Optical Power Meter 3402 Series

OPTICAL POWER METER 3402 SERIES



Product Overview

3402 Optical Power Meter is a highly cost-effective portable power meter and it's newly launched by our Company. It can be used for the optical power measurement within the wavelength 800~1700nm. 3402 also has a wide measurement range which is more than 70dB. It's designed with the common wavelength calibration points, such as 850nm, 1300nm, 1310nm, 1490nm, 1550nm, 1625nm. The instrument is widely used in fiber-optic link construction, testing and maintenance..

Main Characteristics



Features

- Simple user interface
- Mall size, easy to carry
- Wide testing range
- Automatic reminding of low battery

Applications

- Maintenance in Telecom
- Maintenance CATV
- Fiber Optic Lab Testing
- Other Fiber Optic Measurements

Technical Specifications

Type	3402A	3402C
Wavelength(nm)	800~1700nm	
Detector	InGaAs	
Measurement Range (dBm)	-70~+6	- 50~+2 6
Uncertainty	±0.25	
Calibrated Wavelength(nm)	850,980,1300,1310,1490,1550	
Resolution(dB)	0.05	
Optical Connector	FC(interchangeable SC,ST) / as well as 2.5mm universal	
Power Supply	Alkaline Battery(3 AAA 1.5V batteries)	
Battery Operating Time	300 h with 1.5V Battery(3)	
Operating Temperature(°C)	-10 ~ +60	
Storage Temperature(°C)	-25 ~ +70	
Relative Humidity	0 to 95% (non-condensing)	
Dimension(mm)	166x106x20	
Weight(g)	90	



CONTACTOS


 @szfibersystemcoltd

 @szfibersystemcoltd


 <http://szfibersystem.com/>

 sale@szfibersystem.com

Matriz (China):
Sala 201, Bloque A, Edificio Digital Garden City, 1079 Nanhai Avenue, Distrito Nanshan, Shenzhen, China

 +8618927463845
+8613714906306

Sucursal Ecuador:
Urbanización 6 de Diciembre, Pasaje San Blas OE6-49 y Princesa Toa, Quito, Ecuador

 +593984510113
+593983373961

Sucursal Perú:
Calle Huaman Poma de Ayala 349 y Av. Los Patriotas entre la quinta y sexta frente al parque Virgen de Guadalupe, San Miguel, Lima Perú.

 Fijo: +5115005857
Móvil : +51973644663